L Number	Hits	Search Text	DB	Time stamp
1	0	populat$3 with records with non-registered	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:46
2	203	non-registered near2 user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:46
3	0	(non-registered near2 user) same (access near2 account)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:47
4	13	(non-registered near2 user) same account	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:57
5	4308	encode$1 near2 voice	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
6	0	(encode$1 near2 voice) and (decocoded near2 voice)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
7	0	(encode$1 near2 voice) and (decocoded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
8	451	(encode$1 near2 voice) and (decoded near2 voice)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
9	309	(encode$1 near2 voice) and (decoded near2 voice)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:05
10	0	(populate with records with (non-registerd near2 user))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:06
11	0	(display$ with records with (non-registerd near2 user))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:07
12	0	(display$ with records) same (non-registerd near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:07
13	0	record with (non-registerd near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:09
14	0	record with (non-registerd near2 customer)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:08
15	0	record with (non-registerd near2 individual)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:08

16	0	non-registerd near2 individual	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:08
17	4	record with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:13
18	0	transmit$ with account with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:13
19	0	account with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:13
20	1	account same (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:15
21	0	populate with record with (non-registered near2 user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:16
22	0	populate with record with non-registered	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:16
23	4	display$ with record with non-registered	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:19
24	4	automatically with (create near2 account)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:54
26	148	populat$ near2 records	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:54
27	0	(populat$ near2 records) and (automatically near2 receiv$ with record)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:55
28	1	(populat$ near2 records) and (automatically with receiv$ with record)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:55
25	66	populate with records	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:56
29	2	populate with (user near2 records)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:56
30	2	5664109.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:58
31	2	5664109.pn. and automatically	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:30
32	3	automatically same manually same (map$4 with records)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:32

33	18	automatically with (map$4 with records)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:33
34	0	(automatically with (map$4 with records)) and (manually with map$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:14
35	0	6144959.pn. and web	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:15
36	0	6144959.pn. and page	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:15
37	0	6269369.pn. and page	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:15
38	1	6269369.pn. and web	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:18
39	11443	Lee and web	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:18
40	2	6269369.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 13:57

C:\APPS\EAST\Workspaces\leslie.wsp

Google

The **"AND"** operator is unnecessary – we include all search terms by default. [details]

Web

Results **1 - 10** of about **1,110,000** for <u>registration</u> <u>database</u> and <u>user</u> <u>accounts</u>. **(0.85** seconds)

Authentication **Database**
... **accounts** are stored separately from either the Windows NT or 2000 **user database**, or
any external **database**, in a proprietary **database** in the Windows **registry**. ...
www.ipswitch.com/.../guides/v103/IMServer/
WebHelp/User_s_Guide/Security/Authentication_Database.htm - 20k -
<u>Cached</u> - <u>Similar pages</u>

Furry **Database** - **User Account** Administration
... Administration - Admin Requests - Admin **Accounts** - **Database** Stats. This is a **user**
form for managing a **registered account** on the Furry **Database**. ...
www.furbase.net/usradm.shtml - 6k - <u>Cached</u> - <u>Similar pages</u>

CambridgeSoft **User Account** System
... be cookie-enabled in order to use sites associated with our **User Account** System. ...
Help Department **Register** with Us | Request Literature & Demo CD | Manage Your ...
https://**accounts**.cambridgesoft.com/ - 13k - <u>Cached</u> - <u>Similar pages</u>

Dept. of Public Safety - TX DPS Records **Database**
... Convictions and Sex Offender **Registration Database** Updates: Click here for
database ... Access to the Conviction **Database** requires you to use a **user account**. ...
records.txdps.state.tx.us/ - 15k - Aug 4, 2004 - <u>Cached</u> - <u>Similar pages</u>

Account management programs
... **account** requests from **registration** data create_demo_accts ... maintains CUPID
database destroy_demo_accts - removes ... misowned files in **user** homes
FixInactiveAccts ...
pubpages.unh.edu/~sysman/sysadmin/acctmgtprogs.html - 8k - <u>Cached</u> - <u>Similar pages</u>

Can I add **user accounts** from a **database**?
... Can I add **user accounts** from a **database** ... kit, ADDUSERS.EXE, that as an input
excepts a **database** file (eg ... you don't have a username & password, please **register**
now ...
www.winnetmag.com/Article/ArticleID/15052/15052.html - <u>Similar pages</u>

Installing and configuring the self-**registration** feature
... access schema is in the same **database** instance as ... In the Self-**Registration** Options
section, select Enable ... after they create their own **user account** using the ...
12.46.245.173/help/sbsregin.htm - 10k - <u>Cached</u> - <u>Similar pages</u>

SIMBAD access control
... **User** access to SIMBAD is sponsored by several national and international agencies
from ... that the charges related to the use of the SIMBAD **database** by European ...
cdsweb.u-strasbg.fr/simbad/**user**id.html - 6k - <u>Cached</u> - <u>Similar pages</u>

Eastern Studies **Database** - **User Account Registration**
... **User** Name: Password: I am having sign-in problems. If you do not have a **user account**,
please **register** for one. **Registration** is free. ...
www.easternstudies**database**.com/login.cfm - 6k - <u>Cached</u> - <u>Similar pages</u>

Emergency Beacon **Registration Database Account** Login Page
Account Login Information Note: * Indicates a required field. Please enter your **user** NAME
and password below ... to access to Beacon **Registration Database** System. ...
https://beacon**registration**.noaa.gov/rgdb/login.jsp - 4k - Aug 4, 2004 -
<u>Cached</u> - <u>Similar pages</u>

Best Available Copy

Gooooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. <u>Download Now</u> - <u>About Toolbar</u>

Google ▾ | | 🔍 Search Web ▾ | 🔲 49 Pop-ups blocked | 📰 News | 📋 AutoFill | ✎

registration database and user ac   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2004 Google